

PALAZZOLI S.p.A.

25128 BRESCIA - Italia - Via F. Palazzoli, 31
 Telefono +39 030 2015.1 fax +39 030 2015.258
 http://www.palazzoli.it E-mail: export@palazzoli.it
 Subject to direction and co-ordination
 by Europartners S.r.l.

P473317

CEE STRAIGHT CONNECTOR 63A 3P+E 200-250V 50-60HZ
 9H IP67



Approximate image

Date Declaration of Conformity	20.160.421	CE	CE
Certificate code	CERT_IMQ_CB_IT-4055 CERT_IMQ_E3887 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	Frequency	50-60Hz
Protection level	IP67	Poles	3P+ÿ
Clock Position (h)	9	Standard plug-socket	EN60309-2
Nominal Operating Voltage	230V	Insulating Voltage (V)	500V
Manufacturing Material	Thermoplasti c	Standard family	FN_PS_CEE
Nominal current	63A	Execution	MOBILE
Reference Standards	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999	Shape	Straight h t
Directive	2014/35/EU	Marks	CE IMQ IMQ CB RETIE ú

PALAZZOLI S.p.A.

25128 BRESCIA - Italia - Via F. Palazzoli, 31
 Telefono +39 030 2015.1 fax +39 030 2015.258
 http://www.palazzoli.it E-mail: export@palazzoli.it
 Subject to direction and co-ordination
 by Europartners S.r.l.

P477303

CEE STRAIGHT PLUG 16A 2P+E 200-250V 50-60HZ 6H
 IP67



Approximate image

Date Declaration of Conformity	20.160.421	CE	CE
Certificate code	CERT_IMQ_CB_IT-4061 CERT_IMQ_E3940 CERT_RETIE_05391 CERT_UKR_UA.MI.066.0197-13	Frequency	50-60Hz
Protection level	IP67	Poles	2P+ÿ
Clock Position (h)	6	Standard plug-socket	EN60309-2
Nominal Operating Voltage	230V	Insulating Voltage (V)	500V
Manufacturing Material	Thermoplasti c	Standard family	FN_PS_CEE
Nominal current	16A	Execution	MOBILE
Reference Standards	EN 60309-1/A1: 2007 EN 60309-1/A1 EC: 2014 EN 60309-1/A2: 2012 EN 60309-1: 1999 EN 60309-2/A1: 2007 EN 60309-2/A2: 2012 EN 60309-2: 1999	Shape	Straight ht
Directive	2014/35/EU	Marks	CE IMQ IMQ CB RETIE ú

PALAZZOLI S.p.A.

25128 BRESCIA - Italia - Via F. Palazzoli, 31
 Telefono +39 030 2015.1 fax +39 030 2015.258
 http://www.palazzoli.it E-mail: export@palazzoli.it
 Subject to direction and co-ordination
 by Europartners S.r.l.



Approximate image

P471602

CEE EXTRA-LOW VOLTAGE WALL MOUNTED INLET, 90° ANGLED, 16A 2P 20-25/40-50V DC 10H IP44

Date Declaration of Conformity 20.160.421

Flange dimensions (mm) -

Frequency CC

Poles 2P

Standard plug-socket EN60309-2

Insulating Voltage (V) 500V

Standard family FN_PS_BSST

Execution WALL MOUNTING

Shape 90°

Directive 2001/95/EC

Certificate code CERT_IMD_E5810

CERT_UKR_UA.PI.066.0197-13

Hole type Pg 21

Protection level IP44

Clock Position (h) 10

Nominal Operating Voltage 20-25/40-50V

Manufacturing Material Thermoplastic

Nominal current 16A

Reference Standards

EN 60309-1/A1: 2007

EN 60309-1/A1 EC: 2014

EN 60309-1/A2: 2012

EN 60309-1: 1999

EN 60309-2/A1: 2007

EN 60309-2/A2: 2012

EN 60309-2: 1999

Modules Number -

Marks IMD

ú

PALAZZOLI S.p.A.

25128 BRESCIA - Italia - Via F. Palazzoli, 31
 Telefono +39 030 2015.1 fax +39 030 2015.258
<http://www.palazzoli.it> E-mail: export@palazzoli.it
 Subject to direction and co-ordination
 by Europartners S.r.l.



Approximate image

P630011

**DOMOTER WALL MOUNTING WATERTIGHT ENCLOSURE
 FOR MODULAR DEVICES IP55 1 MODULE**

Date Declaration of Conformity 20.170.605
Dimensions 76X82X58 mm
Protection level IP55
Execution WALL MOUNTING

Cover Type Blind
Directive 2014/35/EU
Insulation Class F

CE CE
Device modules 1
Manufacturing Material Thermoplastic
Reference Standards EN 60670-1/A1: 2013
 EN 60670-1/IS1: 2009
 EN 60670-1: 2005

Outfit WITHOUT PLATE
Marks CE

PALAZZOLI S.p.A.

25128 BRESCIA - Italia - Via F. Palazzoli, 31
 Telefono +39 030 2015.1 fax +39 030 2015.258
<http://www.palazzoli.it> E-mail: export@palazzoli.it
 Subject to direction and co-ordination
 by Europartners S.r.l.



Approximate image

P630050

DOMOTER ITALIAN STANDARD SCHUKO 10/16A 250V
 2P+E P11-P17

CE	CE	Flange dimensions (mm)	-
Frequency	50-60Hz	Protection level	IP20
Poles	2P+ \dot{y}	Standard plug-socket	P11/P17
Nominal Operating Voltage	250V~	Manufacturing Material	Thermoplastic
Nominal current	10/16A	Execution	PANEL MOUNTING
Reference Standards	EN 60439-3: 1991 + A1: 1994 2001 EN 60669-1	Shape	Straight
Modules Number	1	Marks	CE